




Aura of **Luxury**

www.selfieporcelaintiles.com



BOOK MATCH
SERIES

PORCELAIN
TILES



A TRAIL OF ART

THE LEGACY OF DESIGN, CRAFTED IN TILE

Design has always been a part of human expression shaped by history, culture, and creativity. This collection carries that legacy forward, blending timeless patterns with modern craftsmanship.

Each tile is more than just décor. It's a story of heritage, style, and artistry, crafted to bring character and beauty into every space.

PRESENTING

BOOK MATCH

SERIES



WHERE LUXURY MEETS THE ART OF LIVING

The **Book Match Series** is a true masterpiece of symmetry and elegance, where every tile mirrors its pair to form breathtaking, seamless patterns. Designed to transform walls and floors into striking focal points, it blends timeless artistry with modern luxury. Each surface reveals flowing veins and refined details that resemble natural works of art, creating an atmosphere of depth and sophistication. With its perfect balance of beauty and harmony, this series turns ordinary spaces into extraordinary interiors that exude style, grandeur, and lasting charm. Crafted with precision and refined detail, every piece reflects a perfect balance between natural inspiration and modern luxury.

SELFIE
CERAMIC

LIGHT WEIGHT





INTRODUCTION

SELFIE CERAMIC BEGAN AS AN EXPORTER AND MANUFACTURER OF PREMIUM PORCELAIN TILES AND QUICKLY EARNED RECOGNITION FOR WORLD-CLASS QUALITY AND RESPONSIVE CUSTOMER SERVICE. BUILT ON A COMMITMENT TO CRAFTSMANSHIP AND RELIABILITY, THE BRAND HAS DEVELOPED LASTING RELATIONSHIPS ACROSS GLOBAL MARKETS.

POWERED BY A HIGHLY AUTOMATED, TECHNOLOGY-DRIVEN MANUFACTURING UNIT, SELFIE CERAMIC ENSURES NEAR-ZERO HUMAN ERROR, CONSISTENT FINISHES, AND DEPENDABLE LEAD TIMES. THIS RELENTLESS FOCUS ON PRECISION, INNOVATION, AND CARE HAS POSITIONED SELFIE CERAMIC AS ONE OF THE MOST TRUSTED NAMES IN THE TILE INDUSTRY.

CHARACTERISTICS





Step into a world where imagination meets reality. This 360° visualization technology allows you to preview materials, textures, and finishes in a true-to-life environment, giving you the confidence to make the right choice for your space.

www.selfieporcelaintiles.com

360°

SCAN QR CODE
FOR IMMERSIVE VIEW



AND EXPERIENCE IT LIVE

Index

It's A Clickable Catalogue



Tap To
Explore
Each

Tap To
Back To
Index

4001

60x60 CM




4007

60x60 CM



4013

60x60 CM



4019

60x60 CM



4025

60x60 CM



4002

60x60 CM



4008

60x60 CM




4014

60x60 CM



4020

60x60 CM



4026

60x60 CM




4003

60x60 CM



4009

60x60 CM



4015

60x60 CM



4021

60x60 CM



4027

60x60 CM



4004

60x60 CM



4010

60x60 CM




4016

60x60 CM



4022

60x60 CM



4005

60x60 CM



4011

60x60 CM




4017

60x60 CM



4023

60x60 CM



4006

60x60 CM



4012

60x60 CM



4018

60x60 CM



4024

60x60 CM



BOOKMATCH SERIES

 [BACK TO INDEX](#)




4001



Pattern : 1



Pattern : 2



4002



Pattern : 1



Pattern : 2



4003



Pattern : 1



Pattern : 2





4001

MATT

 600x
600mm

BOOKMATCH SERIES

 [BACK TO INDEX](#)



4004



Pattern : 1



Pattern : 2



4005



Pattern : 1



Pattern : 2



4006



Pattern : 1



Pattern : 2





4005

MATT

 600x
600mm

BOOKMATCH SERIES

 [BACK TO INDEX](#)



4007



Pattern : 1



Pattern : 2




4008




Pattern : 1



Pattern : 2



4009



Pattern : 1



Pattern : 2






4007

MATT


 600x
600mm

BOOKMATCH SERIES

 [BACK TO INDEX](#)



4010



Pattern : 1



Pattern : 2



4011



Pattern : 1



Pattern : 2



4012



Pattern : 1



Pattern : 2






4012

MATT

 600x
600mm

BOOKMATCH SERIES

 [BACK TO INDEX](#)



4013



Pattern : 1



Pattern : 2




4014




Pattern : 1




Pattern : 2



4015



Pattern : 1



Pattern : 2





4013

MATT

 600x
600mm

BOOKMATCH SERIES


 [BACK TO INDEX](#)




4016



Pattern : 1



Pattern : 2



4017



Pattern : 1



Pattern : 2



4018



Pattern : 1



Pattern : 2





4016

MATT

 600x
600mm

BOOKMATCH SERIES

 [BACK TO INDEX](#)



4019



Pattern : 1



Pattern : 2



4020



Pattern : 1



Pattern : 2



4021



Pattern : 1



Pattern : 2





4020

MATT

 600x
600mm

BOOKMATCH SERIES

 [BACK TO INDEX](#)




4022




Pattern : 1



Pattern : 2



4023



Pattern : 1



Pattern : 2



4024



Pattern : 1



Pattern : 2





4022


MATT




600x
600mm

BOOKMATCH SERIES


 [BACK TO INDEX](#)



4025



Pattern : 1



Pattern : 2



4026



Pattern : 1



Pattern : 2



4027



Pattern : 1



Pattern : 2





4025

MATT



600x
600mm

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006.2018/ EN14411 Gr.BIa	MEAN VALUE OF SELFIE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30% (±1.00mm)	± 0.10%	ISO 10545-2
Deviation in thickness	± 5.00% (±0.50mm)	± 4.00%	ISO 10545-2
Straightness in side	± 0.30% (±0.80mm)	± 0.10%	ISO 10545-2
Rectangularity	± 0.30% (±1.50mm)	± 0.10%	ISO 10545-2
Surface flatness central curvature	± 0.40% (±1.80mm)	± 0.20%	ISO 10545-2
Surface flatness edge curvature	± 0.40% (±1.80mm)	± 0.20%	ISO 10545-2
Surface flatness warpage	± 0.40% (±1.80mm)	± 0.10%	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference (For Plain Color)	ΔE 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50% ≤ Ev ≤ 3.00%	0.060% ≤ Ev ≤ 3.00%	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion (COE) at 100°C	as per mfg.	Max. 6.0 x 10	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy PO(<12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES/BOX	COVERAGE AREA/BOX	WEIGHT
GVT-PGVT	600x 600mm	8.5mm	4 pcs.	1.44 sq. mtr.	25 KG (APPROX)

SELFIE
CERAMIC

Sr. No. 513/P2, Nr. Khokhara
Hanuman Temple,
Rangpar(Bela), Gujarat, 363642

✉ info@selfieporcelaintiles.com
www.selfieporcelaintiles.com