



Carved to Inspire 

www.selfieporcelaintiles.com



CARVING

COLLECTION

—
PORCELAIN
TILES



A TRAIL OF ART

THE LEGACY OF DESIGN, CRAFTED IN TILE

Design has always been a part of human expression shaped by history, culture, and creativity. This collection carries that legacy forward, blending timeless patterns with modern craftsmanship.

Each tile is more than just décor. it's a story of heritage, style, and artistry, crafted to bring character and beauty into every space.

PRESENTING
CARVING
COLLECTION

**A COLLECTION THAT IS DESIGNED TO
REDEFINE THE MODERN LIVING EXPERIENCE**

The Carving Collection is a tribute to the art of design, blending tradition with modern innovation. Each tile is carefully crafted to bring sophistication, elegance, and a refined sense of style into any space. With timeless patterns and lasting quality, these tiles are designed to transform interiors into works of art.

SELFIE
CERAMIC



CARVING

COLLECTION

DESIGN TAKES CENTER STAGE IN CONTEMPORARY INTERIORS, AND ITS ALLURE RUNS THROUGH THIS COLLECTION TO SHAPE A CAPTIVATING AESTHETIC. CRAFTED FOR EVERYDAY ELEGANCE AND ENDURING PERFORMANCE, THE SURFACE RESISTS WEAR AND IS EASY TO MAINTAIN, MAKING IT IDEAL FOR LIVING AREAS, KITCHENS, AND CORRIDORS. THE TILES ARE OFFERED IN 60×60 CM SIZE WITH 8.5 MM THICKNESS.



PORCELAIN TILES

INTRODUCTION

SELFIE CERAMIC BEGAN AS AN EXPORTER AND MANUFACTURER OF PREMIUM PORCELAIN TILES AND QUICKLY EARNED RECOGNITION FOR WORLD-CLASS QUALITY AND RESPONSIVE CUSTOMER SERVICE. BUILT ON A COMMITMENT TO CRAFTSMANSHIP AND RELIABILITY, THE BRAND HAS DEVELOPED LASTING RELATIONSHIPS ACROSS GLOBAL MARKETS.

POWERED BY A HIGHLY AUTOMATED, TECHNOLOGY-DRIVEN MANUFACTURING UNIT, SELFIE CERAMIC ENSURES NEAR-ZERO HUMAN ERROR, CONSISTENT FINISHES, AND DEPENDABLE LEAD TIMES. THIS RELENTLESS FOCUS ON PRECISION, INNOVATION, AND CARE HAS POSITIONED SELFIE CERAMIC AS ONE OF THE MOST TRUSTED NAMES IN THE TILE INDUSTRY.

CHARACTERISTICS





Step into a world where imagination meets reality. This 360° visualization technology allows you to preview materials, textures, and finishes in a true-to-life environment, giving you the confidence to make the right choice for your space.

www.selfieporcelaintiles.com



Index

It's A Clickable Catalogue



Tap To
Explore
Each



Tap To
Back To
Index

13001

60x60 CM



13007

60x60 CM



13013

60x60 CM



13019

60x60 CM



13025

60x60 CM



13002

60x60 CM



13008

60x60 CM



13014

60x60 CM



13020

60x60 CM



13026

60x60 CM



13003

60x60 CM



13009

60x60 CM



13015

60x60 CM



13021

60x60 CM



13027

60x60 CM



13004

60x60 CM



13010

60x60 CM



13016

60x60 CM



13022

60x60 CM



13028

60x60 CM




13005

60x60 CM



13011

60x60 CM



13017

60x60 CM



13023

60x60 CM



13029

60x60 CM



13006

60x60 CM



13012

60x60 CM



13018

60x60 CM




13024

60x60 CM



13030

60x60 CM



Index

It's A Clickable Catalogue



Tap To
Explore
Each



Tap To
Back To
Index

13031

60x60 CM




13037

60x60 CM



13043

60x60 CM



13049

60x60 CM



13055

60x60 CM



13032

60x60 CM




13038

60x60 CM



13044

60x60 CM



13050

60x60 CM



13056

60x60 CM



13033

60x60 CM



13039

60x60 CM



13045

60x60 CM



13051

60x60 CM




13057

60x60 CM




13034

60x60 CM



13040

60x60 CM



13046

60x60 CM



13052

60x60 CM



13058

60x60 CM



13035

60x60 CM



13041

60x60 CM



13047

60x60 CM



13053

60x60 CM



13059

60x60 CM



13036

60x60 CM



13042

60x60 CM



13048

60x60 CM



13054

60x60 CM



13060

60x60 CM



Index

It's A Clickable Catalogue



Tap To
Explore
Each



Tap To
Back To
Index

13061

60x60 CM




13067

60x60 CM



13073

60x60 CM



13062

60x60 CM



13068

60x60 CM



13074

60x60 CM



13063

60x60 CM



13069

60x60 CM



13075

60x60 CM




13064

60x60 CM



13070

60x60 CM



13076

60x60 CM



13065

60x60 CM



13071

60x60 CM



13077

60x60 CM




13066

60x60 CM



13072

60x60 CM



CARVING COLLECTION



13001 R-1

Available Randoms



R-2



R-3



R-4



13002 R-1

Available Randoms



R-2



R-3



R-4



13003 R-1

Available Randoms



R-2



R-3



R-4



 [BACK TO INDEX](#)





13003
CARVING

 600x
600mm

CARVING COLLECTION



13004 R-1

Available Randoms



R-2



R-3



R-4



13005 R-1

Available Randoms



R-2



R-3



R-4



13006 R-1

Available Randoms




R-2



R-3



R-4





13006
CARVING

 600x
600mm

CARVING COLLECTION

INFORMATION

600x600MM
60x60CM | 2'x2'

Carving
Surface

Random
Design



13007



13010



13008



13011



13009



13012



 [BACK TO INDEX](#)





13012

CARVING



600x
600mm


CARVING COLLECTION

INFORMATION

600x600MM
60x60CM | 2'x2'

Carving
Surface

Random
Design



13013



13016




13014



13017




13015




13018



 [BACK TO INDEX](#)





13017

CARVING



600x
600mm


CARVING COLLECTION

INFORMATION

600x600MM
60x60CM | 2'x2'

Carving
Surface

Random
Design




13019



13022



13020



13023



13021



13024



 [BACK TO INDEX](#)





13022

CARVING

 600x
600mm


CARVING COLLECTION

INFORMATION

600x600MM
60x60CM | 2'x2'

Carving
Surface


Random
Design



13025



13028




13026



13029



13027



13030



 [BACK TO INDEX](#)





13027
CARVING

 600x
600mm


CARVING COLLECTION

INFORMATION


600x600MM
60x60CM | 2'x2'

Carving
Surface

Random
Design




13031



13034



13032




13035




13033



13036



 [BACK TO INDEX](#)





13034
CARVING

 600x
600mm


CARVING COLLECTION

INFORMATION

600x600MM
60x60CM | 2'x2'

Carving
Surface

Random
Design



13037



13038



13039 R-1

Available Randoms



R-2



R-3



R-4



13040 R-1


Available Randoms



R-2



R-3



R-4



 [BACK TO INDEX](#)



13037

CARVING



600x
600mm

CARVING COLLECTION

INFORMATION


600x600MM
60x60CM | 2'x2'

Carving
Surface


Random
Design




13041



13042



13043



13044



Available Randoms



13045

R-1




R-2



R-3



R-4



 [BACK TO INDEX](#)



13042
CARVING

 600x
600mm

CARVING COLLECTION



13046 R-1

Available Randoms



R-2



R-3



R-4



13047 R-1

Available Randoms



R-2



R-3



R-4



13048 R-1

Available Randoms



R-2



R-3



R-4



 [BACK TO INDEX](#)





13047

CARVING



600x
600mm

CARVING COLLECTION



13049 R-1

Available Randoms



R-2



R-3



R-4



INFORMATION

600x600MM
60x60CM | 2'x2'

Carving
Surface

Random
Design



13050




13051




13052




13053



 [BACK TO INDEX](#)





13050

CARVING



600x
600mm


CARVING COLLECTION

INFORMATION

600x600MM
60x60CM | 2'x2'

Carving
Surface

Random
Design




13054



13057



13055



13058



13056



13059



 [BACK TO INDEX](#)





13058

CARVING



600x
600mm



CARVING COLLECTION

INFORMATION

600x600MM
60x60CM | 2'x2'

Carving
Surface

Random
Design



13060



13063



13061



13064




13062



13065



 [BACK TO INDEX](#)





13037
CARVING

 600x
600mm


CARVING COLLECTION

INFORMATION

600x600MM
60x60CM | 2'x2'

Carving
Surface

Random
Design



13066



13067



13068



13069



13070

R-1



R-2



R-3



R-4

Available Randoms



 [BACK TO INDEX](#)





13068

CARVING



600x
600mm

CARVING COLLECTION



13071 R-1

Available Randoms



R-2



R-3



R-4



13072 R-1

Available Randoms



R-2



R-3



R-4



13073 R-1

Available Randoms



R-2




R-3



R-4



 [BACK TO INDEX](#)





13072

CARVING

 600x
600mm

CARVING COLLECTION



13074 R-1

Available Randoms



R-2



R-3



R-4



13075 R-1

Available Randoms



R-2



R-3



R-4



13076 R-1

Available Randoms



R-2




R-3



R-4



 [BACK TO INDEX](#)





13074
CARVING

 600x
600mm

CARVING COLLECTION



13077 R-1

Available Randoms



R-2



R-3



R-4



INFORMATION

600x600MM
60x60CM | 2'x2'

Carving
Surface

Random
Design



 [BACK TO INDEX](#)





13077
CARVING

 600x
600mm

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006, 2018 / EN14411 Gr.BIa	MEAN VALUE OF SELFIE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30% (±1.00mm)	± 0.10%	ISO 10545-2
Deviation in thickness	± 5.00% (±0.50mm)	± 4.00%	ISO 10545-2
Straightness in side	± 0.30% (±0.80mm)	± 0.10%	ISO 10545-2
Rectangularity	± 0.30% (±1.50mm)	± 0.10%	ISO 10545-2
Surface flatness central curvature	± 0.40% (±1.80mm)	± 0.20%	ISO 10545-2
Surface flatness edge curvature	± 0.40% (±1.80mm)	± 0.20%	ISO 10545-2
Surface flatness warpage	± 0.40% (±1.80mm)	± 0.10%	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference (For Plain Color)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50% ≤ Ev ≤ 3.00%	0.060% ≤ Ev ≤ 3.00%	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5 (For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion (COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy PO(<12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES/BOX	COVERAGE AREA/BOX	WEIGHT
PORCELAIN TILES	600x 600mm	8.5mm	4 pcs.	1.44 sq. mtr.	25 KG (APPROX)



Sr. No. 513/P2, Nr. Khokhara Hanuman Temple, Rangpar(Bela), Gujarat, 363642

info@selfieporcelaintiles.com
www.selfieporcelaintiles.com