



Legacy of **Style** 

www.selfieporcelaintiles.com

DOUBLE CHARGE

SERIES

PORCELAIN
TILES





A TRAIL OF **ART**

THE LEGACY OF DESIGN, CRAFTED IN TILE

Design has always been a part of human expression shaped by history, culture, and creativity. This collection carries that legacy forward, blending timeless patterns with modern craftsmanship.

Each tile is more than just décor. It's a story of heritage, style, and artistry, crafted to bring character and beauty into every space.

PRESENTING
DOUBLE CHARGE
SERIES

**A COLLECTION THAT IS DESIGNED TO
REDEFINE THE MODERN LIVING EXPERIENCE**

The **Double Charge Series** is crafted through advanced technology to deliver unmatched strength and durability. Each tile embodies a perfect balance of functionality and style, with rich designs that remain timeless over years of use. Combining resilience with elegance, this series is designed to enhance interiors with lasting beauty and enduring performance.

SELFIE
CERAMIC






DOUBLE CHARGE

SERIES



DESIGN TAKES CENTER STAGE IN CONTEMPORARY INTERIORS, AND ITS ALLURE RUNS THROUGH THIS COLLECTION TO SHAPE A CAPTIVATING AESTHETIC. CRAFTED FOR EVERYDAY ELEGANCE AND ENDURING PERFORMANCE, THE SURFACE RESISTS WEAR AND IS EASY TO MAINTAIN, MAKING IT IDEAL FOR LIVING AREAS, KITCHENS, AND CORRIDORS. THE TILES ARE OFFERED IN 60×60 CM SIZE WITH 8.5 MM THICKNESS.



PORCELAIN TILES



INTRODUCTION

SELFIE CERAMIC BEGAN AS AN EXPORTER AND MANUFACTURER OF PREMIUM PORCELAIN TILES AND QUICKLY EARNED RECOGNITION FOR WORLD-CLASS QUALITY AND RESPONSIVE CUSTOMER SERVICE. BUILT ON A COMMITMENT TO CRAFTSMANSHIP AND RELIABILITY, THE BRAND HAS DEVELOPED LASTING RELATIONSHIPS ACROSS GLOBAL MARKETS.

POWERED BY A HIGHLY AUTOMATED, TECHNOLOGY-DRIVEN MANUFACTURING UNIT, SELFIE CERAMIC ENSURES NEAR-ZERO HUMAN ERROR, CONSISTENT FINISHES, AND DEPENDABLE LEAD TIMES. THIS RELENTLESS FOCUS ON PRECISION, INNOVATION, AND CARE HAS POSITIONED SELFIE CERAMIC AS ONE OF THE MOST TRUSTED NAMES IN THE TILE INDUSTRY.

CHARACTERISTICS





Step into a world where imagination meets reality. This 360° visualization technology allows you to preview materials, textures, and finishes in a true-to-life environment, giving you the confidence to make the right choice for your space.

www.selfieporcelaintiles.com

360°

SCAN QR CODE
FOR IMMERSIVE VIEW



AND EXPERIENCE IT LIVE

Index

It's A Clickable Catalogue



Tap To
Explore
Each



Tap To
Back To
Index

9001

60x60 CM



9007

60x60 CM



9013

60x60 CM



9019

60x60 CM



9025

60x60 CM



9002

60x60 CM



9008

60x60 CM



9014

60x60 CM



9020

60x60 CM



9003

60x60 CM



9009

60x60 CM



9015

60x60 CM



9021

60x60 CM



9004

60x60 CM




9010

60x60 CM



9016

60x60 CM




9022

60x60 CM



9005

60x60 CM



9011

60x60 CM



9017

60x60 CM



9023

60x60 CM



9006

60x60 CM



9012

60x60 CM



9018

60x60 CM



9024

60x60 CM



DOUBLE CHARGE SERIES

600x
600mm

MATT
SURFACE



9001

600x600mm

8.5mm Thickness



9002

4 pcs / Box



9003

1.44 sq. mtr. Coverage Area / Box



9004

Weight :- 25kg (Approx)



9005





9001

MATT

 600x
600mm

DOUBLE CHARGE SERIES

600x
600mm


MATT
SURFACE



9006


600x600mm

8.5mm Thickness



9007

4 pcs / Box



9008

1.44 sq. mtr. Coverage Area / Box



9009

Weight :- 25kg(Approx)



9010





9007

MATT



600x
600mm

DOUBLE CHARGE SERIES

600x
600mm

MATT
SURFACE



600x600mm

9011

8.5mm Thickness



9012

4 pcs / Box




9013

1.44 sq. mtr. Coverage Area / Box




9014

Weight :- 25kg (Approx)



9015

 [BACK TO INDEX](#)





9012

MATT

 600x
600mm

DOUBLE CHARGE SERIES

600x
600mm

MATT
SURFACE



600x600mm

9016

8.5mm Thickness



9017

4 pcs / Box



9018

1.44 sq. mtr. Coverage Area / Box



9019


Weight :- 25kg (Approx)



9020

 [BACK TO INDEX](#)





9016

MATT

 600x
600mm

DOUBLE CHARGE SERIES

600x
600mm

MATT
SURFACE



9021

600x600mm

8.5mm Thickness



9022

4 pcs / Box



9023

1.44 sq. mtr. Coverage Area / Box



9024

Weight :- 25kg(Approx)



9025

 [BACK TO INDEX](#)





9025

MATT

 600x
600mm

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006.2018/ EN14411 Gr.B1a	MEAN VALUE OF SELFIE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30% (±1.00mm)	± 0.10%	ISO 10545-2
Deviation in thickness	± 5.00% (±0.50mm)	± 4.00%	ISO 10545-2
Straightness in side	± 0.30% (±0.80mm)	± 0.10%	ISO 10545-2
Rectangularity	± 0.30% (±1.50mm)	± 0.10%	ISO 10545-2
Surface flatness central curvature	± 0.40% (±1.80mm)	± 0.20%	ISO 10545-2
Surface flatness edge curvature	± 0.40% (±1.80mm)	± 0.20%	ISO 10545-2
Surface flatness warpage	± 0.40% (±1.80mm)	± 0.10%	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference (For Plain Color)	ΔE 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50% ≤ Ev ≤ 3.00%	0.060% ≤ Ev ≤ 3.00%	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion (COE) at 100°C	as per mfg.	Max. 6.0 x 10	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy PO<12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value))##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES/BOX	COVERAGE AREA/BOX	WEIGHT
GVT-PGVT	600x 600mm	8.5mm	4 pcs.	1.44 sq. mtr.	25 KG (APPROX)

SELFIE
CERAMIC

Sr. No. 513/P2, Nr. Khokhara
Hanuman Temple,
Rangpar(Bela), Gujarat, 363642

✉ info@selfieporcelaintiles.com
www.selfieporcelaintiles.com