



Essence of **Elegance** 

www.selfieporcelaintiles.com



GALICHA
SERIES

|
PORCELAIN
TILES

A TRAIL OF ART

THE LEGACY OF DESIGN, CRAFTED IN TILE

Design has always been a part of human expression shaped by history, culture, and creativity. This collection carries that legacy forward, blending timeless patterns with modern craftsmanship.

Each tile is more than just décor. It's a story of heritage, style, and artistry, crafted to bring character and beauty into every space.




PRESENTING

GALICHA
SERIES



**A COLLECTION THAT IS DESIGNED TO
REDEFINE THE MODERN LIVING EXPERIENCE**

The **Galicha Series** is inspired by the timeless artistry of woven carpets, reimagined in tile form. Each piece reflects intricate detailing and rich textures that capture the warmth and grandeur of traditional craftsmanship. Blending heritage with durability, these tiles bring character, depth, and a touch of cultural elegance to any interior.




INTRODUCTION

GALICHA SERIES



DESIGN TAKES CENTER STAGE IN CONTEMPORARY INTERIORS, AND ITS ALLURE RUNS THROUGH THIS COLLECTION TO SHAPE A CAPTIVATING AESTHETIC. CRAFTED FOR EVERYDAY ELEGANCE AND ENDURING PERFORMANCE, THE SURFACE RESISTS WEAR AND IS EASY TO MAINTAIN, MAKING IT IDEAL FOR LIVING AREAS, KITCHENS, AND CORRIDORS. THE TILES ARE OFFERED IN 60×60 CM SIZE WITH 8.5 MM THICKNESS.



PORCELAIN TILES

SELFIE CERAMIC BEGAN AS AN EXPORTER AND MANUFACTURER OF PREMIUM PORCELAIN TILES AND QUICKLY EARNED RECOGNITION FOR WORLD-CLASS QUALITY AND RESPONSIVE CUSTOMER SERVICE. BUILT ON A COMMITMENT TO CRAFTSMANSHIP AND RELIABILITY, THE BRAND HAS DEVELOPED LASTING RELATIONSHIPS ACROSS GLOBAL MARKETS.

POWERED BY A HIGHLY AUTOMATED, TECHNOLOGY-DRIVEN MANUFACTURING UNIT, SELFIE CERAMIC ENSURES NEAR-ZERO HUMAN ERROR, CONSISTENT FINISHES, AND DEPENDABLE LEAD TIMES. THIS RELENTLESS FOCUS ON PRECISION, INNOVATION, AND CARE HAS POSITIONED SELFIE CERAMIC AS ONE OF THE MOST TRUSTED NAMES IN THE TILE INDUSTRY.

CHARACTERISTICS





Step into a world where imagination meets reality. This 360° visualization technology allows you to preview materials, textures, and finishes in a true-to-life environment, giving you the confidence to make the right choice for your space.

www.selfieporcelaintiles.com



Index

It's A Clickable Catalogue



Tap To
Explore
Each



Tap To
Back To
Index

1001

60x60 CM



1007

60x60 CM



1013

60x60 CM



1019

60x60 CM



1025

60x60 CM



1002

60x60 CM



1008

60x60 CM



1014

60x60 CM



1020

60x60 CM



1026

60x60 CM



1003

60x60 CM



1009

60x60 CM



1015

60x60 CM




1021

60x60 CM



1027

60x60 CM



1004

60x60 CM



1010

60x60 CM



1016

60x60 CM



1022

60x60 CM



1028

60x60 CM



1005

60x60 CM



1011

60x60 CM



1017

60x60 CM



1023

60x60 CM



1029

60x60 CM



1006

60x60 CM



1012

60x60 CM



1018

60x60 CM



1024

60x60 CM



1030

60x60 CM



Index

It's A Clickable Catalogue



Tap To
Explore
Each

Tap To
Back To
Index

1031

60x60 CM



1037

60x60 CM



1043

60x60 CM



1049

60x60 CM



1055

60x60 CM



1032

60x60 CM




1038

60x60 CM



1044

60x60 CM



1050

60x60 CM



1056

60x60 CM



1033

60x60 CM



1039

60x60 CM



1045

60x60 CM



1051

60x60 CM



1057

60x60 CM



1034

60x60 CM



1040

60x60 CM



1046

60x60 CM



1052

60x60 CM



1058

60x60 CM



1035

60x60 CM



1041

60x60 CM



1047

60x60 CM



1053

60x60 CM



1059

60x60 CM



1036

60x60 CM



1042

60x60 CM



1048

60x60 CM



1054

60x60 CM



1060

60x60 CM



Index

It's A Clickable Catalogue



Tap To
Explore
Each

Tap To
Back To
Index

1061

60x60 CM



1067

60x60 CM



1073

60x60 CM



1079

60x60 CM



1085

60x60 CM



1062

60x60 CM



1068

60x60 CM



1074

60x60 CM



1080

60x60 CM



1086

60x60 CM



1063

60x60 CM



1069

60x60 CM



1075

60x60 CM



1081

60x60 CM



1087

60x60 CM



1064

60x60 CM



1070

60x60 CM



1076

60x60 CM



1082

60x60 CM



1088

60x60 CM



1065

60x60 CM



1071

60x60 CM



1077

60x60 CM



1083

60x60 CM



1089

60x60 CM



1066

60x60 CM



1072

60x60 CM



1078

60x60 CM



1084

60x60 CM



1090

60x60 CM



GALICHA SERIES

600x
600MM

MATT
SURFACE




1001



1004



1002



1005



1003



1006



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1004
MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE




1007



1010



1008



1011



1009



1012



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1008

MATT



600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE




1013



1016



1014




1017



1015



1018



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1015

MATT



600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1019



1022



1020



1023



1021



1024



PRODUCT
INFORMATION



 [BACK TO INDEX](#)





1020

MATT

 **600x
600mm**


GALICHA SERIES

600x
600MM

MATT
SURFACE



1025




1028



1026



1029



1027



1030



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1025

MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1031



1034



1032



1035



1033



1036



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1035

MATT

 600x
600mm

GALICHA SERIES

600x
600MM


MATT
SURFACE



1037



1040



1038




1041



1039



1042



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1039

MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1043



1046



1044



1047



1045



1048



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1044

MATT



600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1049



1052



1050



1053



1051



1054



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1053

MATT



600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1055



1058



1056



1059



1057



1060



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1060

MATT



600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1061



1064
R-1



1062



1064
R-2



1063



1064
R-3



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1063

MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE




1064
R-4

1067



1065



1068



1066



1069
R-1



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1068

MATT

 600x
600mm

GALICHA SERIES


600x
600MM

MATT
SURFACE



1069
R-2

1070



1069
R-3



1071



1069
R-4

1072



PRODUCT
INFORMATION



60x
60cm

 [BACK TO INDEX](#)





1072

MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1073



1076



1074



1077



1075



1078



PRODUCT
INFORMATION



60x
60cm

 [BACK TO INDEX](#)





1078

MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1079



1082



1080



1083



1081



1084



PRODUCT
INFORMATION



60x
60cm

 [BACK TO INDEX](#)





1083

MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1085



1088



1086



1089



1087



1090



PRODUCT
INFORMATION



60x
60cm

 [BACK TO INDEX](#)





1090

MATT



600x
600mm

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006.2018/ EN14411 Gr.B1a	MEAN VALUE OF SELFIE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30% (±1.00mm)	± 0.10%	ISO 10545-2
Deviation in thickness	± 5.00% (±0.50mm)	± 4.00%	ISO 10545-2
Straightness in side	± 0.30% (±0.80mm)	± 0.10%	ISO 10545-2
Rectangularity	± 0.30% (±1.50mm)	± 0.10%	ISO 10545-2
Surface flatness central curvature	± 0.40% (±1.80mm)	± 0.20%	ISO 10545-2
Surface flatness edge curvature	± 0.40% (±1.80mm)	± 0.20%	ISO 10545-2
Surface flatness warpage	± 0.40% (±1.80mm)	± 0.10%	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference (For Plain Color)	ΔE 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50% ≤ Ev ≤ 3.00%	0.060% ≤ Ev ≤ 3.00%	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion (COE) at 100°C	as per mfg.	Max. 6.0 x 10	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)#	as per mfg.	Glossy POI<12), Satin, Posh ≥PI(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value))#	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES/BOX	COVERAGE AREA/BOX	WEIGHT
GVT-PGVT	600x 600mm	8.5mm	4 pcs.	1.44 sq. mtr.	25 KG (APPROX)

SELFIE
CERAMIC

Sr. No. 513/P2, Nr. Khokhara
Hanuman Temple,
Rangpar(Bela), Gujarat, 363642

✉ info@selfieporcelaintiles.com
www.selfieporcelaintiles.com