



Essence of **Elegance** 

www.selfieporcelaintiles.com



GALICHA
SERIES

—
PORCELAIN
TILES

A TRAIL OF ART

THE LEGACY OF DESIGN, CRAFTED IN TILE

Design has always been a part of human expression shaped by history, culture, and creativity. This collection carries that legacy forward, blending timeless patterns with modern craftsmanship.

Each tile is more than just décor. It's a story of heritage, style, and artistry, crafted to bring character and beauty into every space.




PRESENTING

GALICHA
SERIES



**A COLLECTION THAT IS DESIGNED TO
REDEFINE THE MODERN LIVING EXPERIENCE**

The **Galicha Series** is inspired by the timeless artistry of woven carpets, reimagined in tile form. Each piece reflects intricate detailing and rich textures that capture the warmth and grandeur of traditional craftsmanship. Blending heritage with durability, these tiles bring character, depth, and a touch of cultural elegance to any interior.





INTRODUCTION

GALICHA SERIES



DESIGN TAKES CENTER STAGE IN CONTEMPORARY INTERIORS, AND ITS ALLURE RUNS THROUGH THIS COLLECTION TO SHAPE A CAPTIVATING AESTHETIC. CRAFTED FOR EVERYDAY ELEGANCE AND ENDURING PERFORMANCE, THE SURFACE RESISTS WEAR AND IS EASY TO MAINTAIN, MAKING IT IDEAL FOR LIVING AREAS, KITCHENS, AND CORRIDORS. THE TILES ARE OFFERED IN 60×60 CM SIZE WITH 8.5 MM THICKNESS.



PORCELAIN TILES

SELFIE CERAMIC BEGAN AS AN EXPORTER AND MANUFACTURER OF PREMIUM PORCELAIN TILES AND QUICKLY EARNED RECOGNITION FOR WORLD-CLASS QUALITY AND RESPONSIVE CUSTOMER SERVICE. BUILT ON A COMMITMENT TO CRAFTSMANSHIP AND RELIABILITY, THE BRAND HAS DEVELOPED LASTING RELATIONSHIPS ACROSS GLOBAL MARKETS.

POWERED BY A HIGHLY AUTOMATED, TECHNOLOGY-DRIVEN MANUFACTURING UNIT, SELFIE CERAMIC ENSURES NEAR-ZERO HUMAN ERROR, CONSISTENT FINISHES, AND DEPENDABLE LEAD TIMES. THIS RELENTLESS FOCUS ON PRECISION, INNOVATION, AND CARE HAS POSITIONED SELFIE CERAMIC AS ONE OF THE MOST TRUSTED NAMES IN THE TILE INDUSTRY.

CHARACTERISTICS





Step into a world where imagination meets reality. This 360° visualization technology allows you to preview materials, textures, and finishes in a true-to-life environment, giving you the confidence to make the right choice for your space.

www.selfieporcelaintiles.com



Index

It's A Clickable Catalogue



Tap To
Explore
Each

Tap To
Back To
Index

1091

60x60 CM



1097

60x60 CM



1103

60x60 CM



1109

60x60 CM



1115

60x60 CM



1092

60x60 CM



1098

60x60 CM



1104

60x60 CM



1110

60x60 CM



1116

60x60 CM



1093

60x60 CM



1099

60x60 CM



1105

60x60 CM



1111

60x60 CM



1117

60x60 CM



1094

60x60 CM




1100

60x60 CM



1106

60x60 CM



1112

60x60 CM



1118

60x60 CM



1095

60x60 CM



1101

60x60 CM



1107

60x60 CM



1113

60x60 CM



1119

60x60 CM



1096

60x60 CM



1102

60x60 CM



1108

60x60 CM



1114

60x60 CM



1120

60x60 CM



Index

It's A Clickable Catalogue



Tap To
Explore
Each



Tap To
Back To
Index

1121

60x60 CM



1127

60x60 CM



1133

60x60 CM



1139

60x60 CM



1145

60x60 CM



1122

60x60 CM



1128

60x60 CM



1134

60x60 CM



1140

60x60 CM



1146

60x60 CM



1123

60x60 CM



1129

60x60 CM



1135

60x60 CM



1141

60x60 CM



1147

60x60 CM



1124

60x60 CM



1130

60x60 CM



1136

60x60 CM



1142

60x60 CM




1148

60x60 CM



1125

60x60 CM



1131

60x60 CM



1137

60x60 CM



1143

60x60 CM



1149

60x60 CM




1126

60x60 CM



1132

60x60 CM



1138

60x60 CM



1144

60x60 CM



1150

60x60 CM



Index

It's A Clickable Catalogue



Tap To
Explore
Each



Tap To
Back To
Index

1151

60x60 CM



1157

60x60 CM



1163

60x60 CM



1169

60x60 CM



1175

60x60 CM



1152

60x60 CM



1158

60x60 CM




1164

60x60 CM



1170

60x60 CM



1176

60x60 CM



1153

60x60 CM



1159

60x60 CM



1165

60x60 CM



1171

60x60 CM



1177

60x60 CM



1154

60x60 CM



1160

60x60 CM



1166

60x60 CM



1172

60x60 CM



1178

60x60 CM



1155

60x60 CM



1161

60x60 CM



1167

60x60 CM



1173

60x60 CM



1179

60x60 CM



1156

60x60 CM



1162

60x60 CM




1168

60x60 CM



1174

60x60 CM



1180

60x60 CM



GALICHA SERIES

600x
600MM


MATT
SURFACE



1091



1094



1092



1095



1093



1096



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1094

MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE




1097



1100



1098



1101



1099



1102



PRODUCT
INFORMATION



600x
60CM

 [BACK TO INDEX](#)





1099

MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1103



1106



1104




1107



1105



1108



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1106


MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE




1109




1112



1110



1113



1111



1114



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1114

MATT



600x
600mm

GALICHA SERIES

600x
600MM


MATT
SURFACE



1115



1118



1116



1119



1117



1120



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1118

MATT



600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE




1121




1124



1122



1125



1123



1126



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1123
MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1127



1130



1128



1131



1129



1132



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1127

MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1133



1136



1134




1137



1135



1138



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1138

MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1139



1142



1140



1143



1141



1144



PRODUCT
INFORMATION



600x
600MM

60x
60CM

 [BACK TO INDEX](#)





1139

MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1145



1148




1146



1149



1147



1150



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1149

MATT

600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE




1151



1154



1152



1155



1153



1156



PRODUCT
INFORMATION



600MM
60x
60CM

 [BACK TO INDEX](#)





1155

MATT



600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1157



1160



1158



1161



1159



1162



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1159

MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE



1163



1166



1164




1167



1165



1168



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1163

MATT

 600x
600mm

GALICHA SERIES

600x
600MM

MATT
SURFACE




1169




1172



1170



1173



1171



1174



PRODUCT
INFORMATION



600x
600MM

 [BACK TO INDEX](#)





1171
MATT

 600x
600mm

GALICHA SERIES

600x
600MM


MATT
SURFACE



1175



1178



1176



1179



1177



1180



PRODUCT
INFORMATION



60x
60CM

 [BACK TO INDEX](#)





1179

MATT

 600x
600mm

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006.2018/ EN14411 Gr.BIa	MEAN VALUE OF SELFIE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30% (±1.00mm)	± 0.10%	ISO 10545-2
Deviation in thickness	± 5.00% (±0.50mm)	± 4.00%	ISO 10545-2
Straightness in side	± 0.30% (±0.80mm)	± 0.10%	ISO 10545-2
Rectangularity	± 0.30% (±1.50mm)	± 0.10%	ISO 10545-2
Surface flatness central curvature	± 0.40% (±1.80mm)	± 0.20%	ISO 10545-2
Surface flatness edge curvature	± 0.40% (±1.80mm)	± 0.20%	ISO 10545-2
Surface flatness warpage	± 0.40% (±1.80mm)	± 0.10%	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference (For Plain Color)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50% ≤ Ev ≤ 3.00%	0.060% ≤ Ev ≤ 3.00%	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion (COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COP-WET PENDULAM)##	as per mfg.	Glossy PO(-12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES/BOX	COVERAGE AREA/BOX	WEIGHT
PORCELAIN TILES	600x 600mm	8.5mm	4 pcs.	1.44 sq. mtr.	25 KG (APPROX)



Sr. No. 513/P2, Nr. Khokhara
Hanuman Temple,
Rangpar(Bela), Gujarat, 363642

✉ info@selfieporcelaintiles.com
www.selfieporcelaintiles.com