

GREEN SERIES

Aura of Design





TILES THAT TELL A STORY


Design has always been an inseparable part of human expression, shaped over centuries by history, culture, innovation, and creativity. From the intricate patterns of ancient civilizations to the refined artistry of modern times, design reflects the way we see the world and the values we hold dear. This collection carries that profound legacy forward, blending timeless patterns with the precision of modern craftsmanship. Every tile is more than just a piece of décor—it is a story told through textures, colors, and details. It embodies heritage, celebrates style, and showcases artistry in its purest form. Each tile is thoughtfully crafted to bring warmth, character, and elegance into every space, transforming ordinary walls and floors into living canvases. With this collection, design becomes not only an aesthetic choice but also an experience that enriches the environment, infusing it with beauty, depth, and a sense of timeless sophistication.

GREEN SERIES

FROM VISION TO PERFECTION

The **Green Series** is a tribute to nature's harmony, where every tile embodies freshness, calm, and organic beauty. Inspired by the soothing tones of greenery, these tiles bring a sense of balance and tranquility into modern living spaces. Their subtle shades and natural textures create an atmosphere that connects interiors with the outdoors, offering a refreshing retreat within the home.

Designed to enrich spaces with timeless charm, the Green Series enhances both contemporary and classic interiors. Whether used in living rooms, kitchens, or outdoor areas, these tiles add a touch of serenity and elegance. Their versatile appeal transforms every surface into a canvas of natural grace, making the Green Series a perfect choice for those who seek style infused with the spirit of nature.



600x
600mm
Green Series





INTRODUCTION

SELFIE CERAMIC BEGAN AS AN EXPORTER AND MANUFACTURER OF PREMIUM PORCELAIN TILES AND QUICKLY EARNED RECOGNITION FOR WORLD-CLASS QUALITY AND RESPONSIVE CUSTOMER SERVICE. BUILT ON A COMMITMENT TO CRAFTSMANSHIP AND RELIABILITY, THE BRAND HAS DEVELOPED LASTING RELATIONSHIPS ACROSS GLOBAL MARKETS.

CHARACTERISTICS





Step into a world where imagination meets reality. This 360° visualization technology allows you to preview materials, textures, and finishes in a true-to-life environment, giving you the confidence to make the right choice for your space.

www.selfieporcelaintiles.com



Index

It's A Clickable Catalogue



Tap To
Explore
Each



Tap To
Back To
Index

8001

60x60 CM




8006

60x60 CM



8011

60x60 CM



8016

60x60 CM



8002

60x60 CM



8007

60x60 CM



8012

60x60 CM



8017

60x60 CM



8003

60x60 CM



8008

60x60 CM



8013

60x60 CM



8018

60x60 CM




8004

60x60 CM




8009

60x60 CM



8014

60x60 CM



8019

60x60 CM



8005

60x60 CM



8010

60x60 CM



8015

60x60 CM



8020

60x60 CM



Index

It's A Clickable Catalogue



Tap To
Explore
Each



Tap To
Back To
Index

8021

60x60 CM



8026

60x60 CM



8031

60x60 CM



8022

60x60 CM



8027

60x60 CM



8032

60x60 CM



8023

60x60 CM



8028

60x60 CM




8033

60x60 CM




8024

60x60 CM



8029

60x60 CM



8025

60x60 CM



8030

60x60 CM




GREEN SERIES

 [BACK TO INDEX](#)



8001



8002



8003




8004



**MATT
SURFACE**

600x
600mm

60x
60cm






8003

MATT


 600x
600mm

GREEN SERIES


[BACK TO INDEX](#)



8005



8006



8007




8008




**MATT
SURFACE**

600x
600mm

60x
60cm





8006

MATT

 600x
600mm


GREEN SERIES



8009



8010



8011




8012



**MATT
SURFACE**

**600x
600mm**

**60X
60cm**



[BACK TO INDEX](#)





8009

MATT


 600x
600mm

GREEN SERIES

[BACK TO INDEX](#)



8013



8014



8015





8016



**MATT
SURFACE**

600x
600mm

60x
60cm





8013

MATT

 600x
600mm

GREEN SERIES

 [BACK TO INDEX](#)



8017



8018



8019




8020



**MATT
SURFACE**

600x
600mm

60x
60cm






Double Wear

8019

MATT

 600x
600mm

GREEN SERIES




8021



8022



8023




8024



**MATT
SURFACE**

600x
600mm

60x
60cm



 [BACK TO INDEX](#)





PRO DESIGN.NET


8022

MATT

 600x
600mm

GREEN SERIES

[BACK TO INDEX](#)



8025



8026



8027




8028



MATT SURFACE

600x
600mm

60x
60cm






8027

MATT

 600x
600mm

GREEN SERIES

[BACK TO INDEX](#)



8029



8030



8031





8032



**MATT
SURFACE**

600x
600mm

60x
60cm





8030

MATT

 600x
600mm

GREEN SERIES

[BACK TO INDEX](#)




8033



**MATT
SURFACE**

600x
600mm

60x
60cm





8033

MATT

 600x
600mm

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006.2018/ EN14411 Gr.BIa	MEAN VALUE OF SELFIE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30% (±1.00mm)	± 0.10%	ISO 10545-2
Deviation in thickness	± 5.00% (±0.50mm)	± 4.00%	ISO 10545-2
Straightness in side	± 0.30% (±0.80mm)	± 0.10%	ISO 10545-2
Rectangularity	± 0.30% (±1.50mm)	± 0.10%	ISO 10545-2
Surface flatness central curvature	± 0.40% (±1.80mm)	± 0.20%	ISO 10545-2
Surface flatness edge curvature	± 0.40% (±1.80mm)	± 0.20%	ISO 10545-2
Surface flatness warpage	± 0.40% (±1.80mm)	± 0.10%	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference (For Plain Color)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50% ≤ Ev ≤ 3.00%	0.060% ≤ Ev ≤ 3.00%	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion (COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy PO(-12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES/BOX	COVERAGE AREA/BOX	WEIGHT
GVT-PGVT	600x 600mm	8.5mm	4 pcs.	1.44 sq. mtr.	25 KG (APPROX)



Sr. No. 513/P2, Nr. Khokhara
Hanuman Temple,
Rangpar(Bela), Gujarat, 363642

✉ info@selfieporcelaintiles.com
www.selfieporcelaintiles.com