



Timeless Beauty in **EVERY TILE** 

# **SUGAR SERIES**




Porcelain Tiles



A TRAIL OF ART

## THE LEGACY OF DESIGN, CRAFTED IN TILE

Design has always been a part of human expression shaped by history, culture, and creativity. This collection carries that legacy forward, blending timeless patterns with modern craftsmanship.




600x  
600mm  
Porcelain Tiles

PRESENTING

**SUGAR  
SERIES****DESIGNED TO REDEFINE  
MODERN SPACES.**

The **Sugar Series** embodies the elegance of simplicity and the sweetness of subtle beauty. Inspired by the delicate textures and refined tones of crystallized sugar, this collection celebrates purity, softness, and light. Each tile reflects a gentle luminosity, bringing calm and warmth to any space. Blending minimalist design with a touch of sophistication, the Sugar Series offers a serene palette and smooth finishes that create timeless interiors.





## INTRODUCTION

**SELFIE CERAMIC** BEGAN AS AN EXPORTER AND MANUFACTURER OF PREMIUM PORCELAIN TILES AND QUICKLY EARNED RECOGNITION FOR WORLD-CLASS QUALITY AND RESPONSIVE CUSTOMER SERVICE. BUILT ON A COMMITMENT TO CRAFTSMANSHIP AND RELIABILITY, THE BRAND HAS DEVELOPED LASTING RELATIONSHIPS ACROSS GLOBAL MARKETS.

POWERED BY A HIGHLY AUTOMATED, TECHNOLOGY-DRIVEN MANUFACTURING UNIT, SELFIE CERAMIC ENSURES NEAR-ZERO HUMAN ERROR, CONSISTENT FINISHES, AND DEPENDABLE LEAD TIMES. THIS RELENTLESS FOCUS ON PRECISION, INNOVATION, AND CARE HAS POSITIONED SELFIE CERAMIC AS ONE OF THE MOST TRUSTED NAMES IN THE TILE INDUSTRY.

## CHARACTERISTICS





Step into a world where imagination meets reality. This 360° visualization technology allows you to preview materials, textures, and finishes in a true-to-life environment, giving you the confidence to make the right choice for your space.

[www.selfieporcelaintiles.com](http://www.selfieporcelaintiles.com)

# 360°

SCAN QR CODE  
FOR IMMERSIVE VIEW



AND EXPERIENCE IT LIVE

# Index

It's A Clickable Catalogue




Tap To  
Explore  
Each



Tap To  
Back To  
Index Page


**12001**

60x60 CM



**12007**

60x60 CM




**12013**

60x60 CM



**12019**

60x60 CM




**12025**

60x60 CM



**12002**

60x60 CM



**12008**

60x60 CM



**12014**

60x60 CM



**12020**

60x60 CM



**12026**

60x60 CM



**12003**

60x60 CM



**12009**

60x60 CM



**12015**

60x60 CM




**12021**

60x60 CM



**12027**

60x60 CM



**12004**

60x60 CM



**12010**

60x60 CM



**12016**

60x60 CM



**12022**

60x60 CM



**12028**

60x60 CM




**12005**

60x60 CM



**12011**

60x60 CM



**12017**

60x60 CM



**12023**

60x60 CM



**12029**

60x60 CM




**12006**

60x60 CM



**12012**

60x60 CM



**12018**

60x60 CM



**12024**

60x60 CM



**12030**

60x60 CM



# Index

It's A Clickable Catalogue



Tap To  
Explore  
Each



Tap To  
Back To  
Index Page

**12031**

60x60 CM



**12037**

60x60 CM



**12043**

60x60 CM



**12049**

60x60 CM



**12055**

60x60 CM



**12032**

60x60 CM



**12038**

60x60 CM



**12044**

60x60 CM



**12050**

60x60 CM



**12056-P1**

60x60 CM



**12033**

60x60 CM



**12039**

60x60 CM



**12045**

60x60 CM




**12051**

60x60 CM



**12056-P2**

60x60 CM



**12034**

60x60 CM



**12040**

60x60 CM




**12046**

60x60 CM



**12052**

60x60 CM




**12056-P3**

60x60 CM



**12035**

60x60 CM



**12041**

60x60 CM



**12047**

60x60 CM



**12053**

60x60 CM



**12056-P4**

60x60 CM



**12036**

60x60 CM



**12042**

60x60 CM



**12048**

60x60 CM




**12054**

60x60 CM



**12057**

60x60 CM



# Index

It's A Clickable Catalogue



Tap To  
Explore  
Each



Tap To  
Back To  
Index Page

**12058**

60x60 CM



**12064**

60x60 CM



**12070**

60x60 CM




**12076**

60x60 CM



**12059**

60x60 CM



**12065**

60x60 CM



**12071**

60x60 CM



**12077**

60x60 CM



**12060**

60x60 CM



**12066**

60x60 CM



**12072**

60x60 CM



**12078**

60x60 CM




**12061**

60x60 CM



**12067**

60x60 CM




**12073**

60x60 CM



**12079**

60x60 CM



**12062**

60x60 CM



**12068**

60x60 CM



**12074**

60x60 CM



**12080**

60x60 CM



**12063**

60x60 CM



**12069**

60x60 CM



**12075**

60x60 CM



**12081**

60x60 CM






# SUGAR SERIES

600x  
600mm

SUGAR  
SURFACE




**12001**




**12002**



**12003**



**12004**



**12005**



**12006**

 [BACK TO INDEX](#)

PRODUCT  
INFORMATION



**60x  
60cm**





**12002**

MATT



600x  
600mm



# SUGAR SERIES

600x  
600mm


SUGAR  
SURFACE




**12007**



**12008**



**12009**



**12010**



**12011**



**12012**

 [BACK TO INDEX](#)

PRODUCT  
INFORMATION



**60x  
60cm**





**12008**

MATT



600x  
600mm



# SUGAR SERIES

600x  
600mm

SUGAR  
SURFACE



12013



12014




12015



12016



12017



12018

 [BACK TO INDEX](#)

PRODUCT  
INFORMATION



60x  
60cm





**12014**

MATT



600x  
600mm



# SUGAR SERIES

600x  
600mm

SUGAR  
SURFACE



12019



12020



12021



12022



12023



12024

 [BACK TO INDEX](#)

PRODUCT  
INFORMATION



60x  
60cm





**12019**

MATT



600x  
600mm



# SUGAR SERIES

600x  
600mm

SUGAR  
SURFACE



**12025**



**12026**



**12027**



**12028**



**12029**



**12030**



 [BACK TO INDEX](#)

PRODUCT  
INFORMATION



**60x  
60cm**



**12028**

MATT


 600x  
600mm



# SUGAR SERIES

600x  
600mm


SUGAR  
SURFACE



**12031**



**12032**



**12033**



**12034**



**12035**



**12036**



 [BACK TO INDEX](#)

PRODUCT  
INFORMATION



**60x  
60cm**



**12034**

MATT



600x  
600mm




# SUGAR SERIES

600x  
600mm

SUGAR  
SURFACE




12037



12038



12039



12040



12041



12042

 [BACK TO INDEX](#)

PRODUCT  
INFORMATION



60x  
60cm





**12041**

MATT



600x  
600mm



# SUGAR SERIES

600x  
600mm

SUGAR  
SURFACE



12043



12044



12045



12046



12047



12048

 [BACK TO INDEX](#)

PRODUCT  
INFORMATION



60x  
60cm





**12044**

MATT



600x  
600mm



# SUGAR SERIES

600x  
600mm

SUGAR  
SURFACE




**12049**



**12050**



**12051**



**12052**



**12053**



**12054**

 [BACK TO INDEX](#)

PRODUCT  
INFORMATION



**60x  
60cm**





**12050**

MATT



600x  
600mm



# SUGAR SERIES

600x  
600mm

SUGAR  
SURFACE



**12055**



**12056**  
P1




**12056**  
P2



**12056**  
P3



**12056**  
P4



**12057**



 [BACK TO INDEX](#)

PRODUCT  
INFORMATION



**60x  
60cm**



**12057**

MATT




600x  
600mm



# SUGAR SERIES

600x  
600mm


SUGAR  
SURFACE



**12058**



**12059**




**12060**



**12061**



**12062**



**12063**


 [BACK TO INDEX](#)

PRODUCT  
INFORMATION



**60x  
60cm**





**12058**

MATT



600x  
600mm



# SUGAR SERIES

600x  
600mm


SUGAR  
SURFACE




12064



12065



12066



12067



12068



12069

 [BACK TO INDEX](#)

PRODUCT  
INFORMATION



60x  
60cm





**12068**

MATT



600x  
600mm



# SUGAR SERIES

600x  
600mm

SUGAR  
SURFACE



**12070**



**12071**



**12072**



**12073**



**12074**



**12075**

 [BACK TO INDEX](#)

PRODUCT  
INFORMATION



**60x  
60cm**





**12074**

MATT



600x  
600mm



# SUGAR SERIES

600x  
600mm

SUGAR  
SURFACE



**12076**



**12077**



**12078**



**12079**



**12080**



**12081**


 [BACK TO INDEX](#)

PRODUCT  
INFORMATION



**60x  
60cm**





**12079**

MATT



600x  
600mm

## TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006.2018/ EN14411 Gr.BIa	MEAN VALUE OF SELFIE	TEST METHOD
<b>Regulatory Properties</b>			
Deviation in length and width	± 0.30% (±1.00mm)	± 0.10%	ISO 10545-2
Deviation in thickness	± 5.00% (±0.50mm)	± 4.00%	ISO 10545-2
Straightness in side	± 0.30% (±0.80mm)	± 0.10%	ISO 10545-2
Rectangularity	± 0.30% (±1.50mm)	± 0.10%	ISO 10545-2
Surface flatness central curvature	± 0.40% (±1.80mm)	± 0.20%	ISO 10545-2
Surface flatness edge curvature	± 0.40% (±1.80mm)	± 0.20%	ISO 10545-2
Surface flatness warpage	± 0.40% (±1.80mm)	± 0.10%	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference (For Plain Color)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
<b>Structural Properties</b>			
Water absorption	0.50% ≤ Ev ≤ 3.00%	0.060% ≤ Ev ≤ 3.00%	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
<b>Massive Mechanical Properties</b>			
Modulus of rupture	Min. 30.0 N/mm <sup>2</sup>	Min. 35.0 N/mm <sup>2</sup>	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
<b>Surface Mechanical Properties</b>			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm <sup>3</sup>	Max. 132mm <sup>3</sup>	ISO 10545-6
<b>Thermal Hydrometric Properties</b>			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion (COE) at 100°C	as per mfg.	Max. 6.0 x 10 <sup>-6</sup>	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
<b>Chemical Properties</b>			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
<b>Safety Properties</b>			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy PO(-12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

## PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES/BOX	COVERAGE AREA/BOX	WEIGHT
GVT-PGVT	600x 600mm	8.5mm	4 pcs.	1.44 sq. mtr.	25 KG (APPROX)



Sr. No. 513/P2, Nr. Khokhara  
Hanuman Temple,  
Rangpar(Bela), Gujarat, 363642

✉ info@selfieporcelaintiles.com  
www.selfieporcelaintiles.com