



Where Wood Meets **PERFECTION** 

The right side of the image features a background of wood grain, with horizontal planks of varying shades of brown and tan. The wood grain is detailed and realistic. The text "WOOD SERIES" is overlaid on this background in a white, bold, sans-serif font.

**WOOD
SERIES**

www.selfieporcelaintiles.com

A TRAIL OF ART

THE LEGACY OF DESIGN, CRAFTED IN TILE

Design has always been a part of human expression shaped by history, culture, and creativity. This collection carries that legacy forward, blending timeless patterns with modern craftsmanship.

Each tile is more than just décor. It's a story of heritage, style, and artistry, crafted to bring character and beauty into every space.



PRESENTING

WOOD
SERIES

**THE ESSENCE OF WOOD.
THE SPIRIT OF MODERNITY.**



The **Wood Series** celebrates the essence of nature's craftsmanship and the enduring allure of organic beauty. Inspired by the timeless character of natural wood, this collection captures the warmth, depth, and texture of hand-finished planks — redefined with the strength and precision of modern tile design. Each surface tells a story of natural grains and earthy tones, bringing comfort and authenticity to every space. With its seamless blend of rustic charm and contemporary refinement, the Wood Series transforms interiors into havens of warmth, balance, and sophistication — where nature's elegance meets modern living.


INTRODUCTION



SELFIE CERAMIC BEGAN AS AN EXPORTER AND MANUFACTURER OF PREMIUM PORCELAIN TILES AND QUICKLY EARNED RECOGNITION FOR WORLD-CLASS QUALITY AND RESPONSIVE CUSTOMER SERVICE. BUILT ON A COMMITMENT TO CRAFTSMANSHIP AND RELIABILITY, THE BRAND HAS DEVELOPED LASTING RELATIONSHIPS ACROSS GLOBAL MARKETS.

POWERED BY A HIGHLY AUTOMATED, TECHNOLOGY-DRIVEN MANUFACTURING UNIT, SELFIE CERAMIC ENSURES NEAR-ZERO HUMAN ERROR, CONSISTENT FINISHES, AND DEPENDABLE LEAD TIMES. THIS RELENTLESS FOCUS ON PRECISION, INNOVATION, AND CARE HAS POSITIONED SELFIE CERAMIC AS ONE OF THE MOST TRUSTED NAMES IN THE TILE INDUSTRY.

CHARACTERISTICS





Step into a world where imagination meets reality. This 360° visualization technology allows you to preview materials, textures, and finishes in a true-to-life environment, giving you the confidence to make the right choice for your space.

www.selfieporcelaintiles.com



Index

It's A Clickable Catalogue



Tap To
Explore
Each



Tap To
Back To
Index

2001

60x60 CM



2007

60x60 CM



2013

60x60 CM



2019

60x60 CM



2025

60x60 CM



2002

60x60 CM



2008

60x60 CM



2014

60x60 CM



2020

60x60 CM



2026

60x60 CM



2003

60x60 CM



2009

60x60 CM



2015

60x60 CM



2021

60x60 CM



2027

60x60 CM



2004

60x60 CM



2010

60x60 CM



2016

60x60 CM



2022

60x60 CM



2028

60x60 CM



2005

60x60 CM



2011

60x60 CM



2017

60x60 CM



2023

60x60 CM



2029

60x60 CM



2006

60x60 CM



2012

60x60 CM



2018

60x60 CM



2024

60x60 CM



2030

60x60 CM



Index

It's A Clickable Catalogue



Tap To
Explore
Each



Tap To
Back To
Index

2031

60x60 CM



2037

60x60 CM



2043

60x60 CM



2049

60x60 CM



2055

60x60 CM



2032

60x60 CM



2038

60x60 CM



2044

60x60 CM



2050

60x60 CM



2056

60x60 CM



2033

60x60 CM



2039

60x60 CM



2045

60x60 CM



2051

60x60 CM



2057

60x60 CM



2034

60x60 CM



2040

60x60 CM



2046

60x60 CM



2052

60x60 CM



2058

60x60 CM



2035

60x60 CM



2041

60x60 CM



2047

60x60 CM



2053

60x60 CM



2059

60x60 CM



2036

60x60 CM



2042

60x60 CM



2048

60x60 CM



2054

60x60 CM



2060

60x60 CM



Index

It's A Clickable Catalogue



Tap To
Explore
Each

Tap To
Back To
Index

2061

60x60 CM



2067

60x60 CM



2073

60x60 CM



2079

60x60 CM



2085

60x60 CM



2062

60x60 CM



2068

60x60 CM



2074

60x60 CM



2080

60x60 CM



2086

60x60 CM



2063

60x60 CM



2069

60x60 CM



2075

60x60 CM



2081

60x60 CM



2087

60x60 CM



2064

60x60 CM



2070

60x60 CM



2076

60x60 CM



2082

60x60 CM



2088

60x60 CM



2065

60x60 CM



2071

60x60 CM




2077

60x60 CM



2083

60x60 CM



2089

60x60 CM



2066

60x60 CM



2072

60x60 CM




2078

60x60 CM



2084

60x60 CM



2090

60x60 CM



Index

It's A Clickable Catalogue



Tap To
Explore
Each



Tap To
Back To
Index

2091

60x60 CM



**ORANGE
WOOD**

60x60 CM



2092

60x60 CM



**ARIX
WOOD**

60x60 CM



**FOREST
WOOD**

60x60 CM



**NEEM
WOOD**

60x60 CM



**NEEM
WOOD
LIGHT**

60x60 CM



WOOD SERIES



2001



2004



2002



2005



2003



2006



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2004

MATT

 600x
600mm

WOOD SERIES



2007



2010



2008



2009



R-1



R-2



R-3



R-4

SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2007

MATT

 600x
600mm

WOOD SERIES



2011

R-1



R-2



R-3



R-4



2012



2013



2014



R-1



R-2

SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2012

MATT



600x
600mm

WOOD SERIES



2015

R-1

R-2

R-3



2016

R-1

R-2

R-3



2017

R-1

R-2

R-3

R-4

SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2015
MATT

 600x
600mm

WOOD SERIES



2018

R-1



R-2



R-3



R-4



2019

R-1



R-2



R-3



2020



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)






2020

MATT



600x
600mm

WOOD SERIES



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2022

MATT




600x
600mm

WOOD SERIES



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2025
MATT


 600x
600mm

WOOD SERIES



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2027

MATT




600x
600mm

WOOD SERIES



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2030

MATT

 600x
600mm

WOOD SERIES



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2036

MATT



600x
600mm

WOOD SERIES



2038



2041



2039




2042



2040



2043



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2042

MATT




600x
600mm

WOOD SERIES



2044



2047



2045



2048



2046



2049



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2047

MATT



600x
600mm

WOOD SERIES



2050



2053



2051




2054



2052



2055



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2054

MATT



600x
600mm

WOOD SERIES



2056



2059



2057




2060



2058



2061



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2059

MATT



600x
600mm

WOOD SERIES



2062



2065



2063



2066



2064



2067



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2067
MATT

 600x
600mm

WOOD SERIES



2068



2069



R-1



R-2



R-3




R-4



2070



2071



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2069

MATT



600x
600mm

WOOD SERIES



2072



2075



2073



2076



2074



2077



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2074
MATT

 600x
600mm

WOOD SERIES



2078



2081



2079



2082



2080



2083



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2079

MATT



600x
600mm

WOOD SERIES



2084



2087



2085




2088



2086



2089



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2085

MATT



600x
600mm

WOOD SERIES



2090



2091



R-1



R-2



R-3




R-4



2092



ARIX
WOOD



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





2090

MATT

 600x
600mm

WOOD SERIES



**FOREST
WOOD**



**NEEM
WOOD
LIGHT**



**NEEM
WOOD**



**ORANGE
WOOD**



SURFACE | **MATT**
DIMENSION | **600x600mm**

 [BACK TO INDEX](#)





NEEM
WOOD
LIGHT
MATT

 600x
600mm

TECHNICAL SPECIFICATION

| CHARACTERISTIC | STANDARD AS PER ISO13006.2018/ EN14411 Gr.BIa | MEAN VALUE OF SELFIE | TEST METHOD |
|--|---|---|----------------|
| Regulatory Properties | | | |
| Deviation in length and width | ± 0.30% (±1.00mm) | ± 0.10% | ISO 10545-2 |
| Deviation in thickness | ± 5.00% (±0.50mm) | ± 4.00% | ISO 10545-2 |
| Straightness in side | ± 0.30% (±0.80mm) | ± 0.10% | ISO 10545-2 |
| Rectangularity | ± 0.30% (±1.50mm) | ± 0.10% | ISO 10545-2 |
| Surface flatness central curvature | ± 0.40% (±1.80mm) | ± 0.20% | ISO 10545-2 |
| Surface flatness edge curvature | ± 0.40% (±1.80mm) | ± 0.20% | ISO 10545-2 |
| Surface flatness warpage | ± 0.40% (±1.80mm) | ± 0.10% | ISO 10545-2 |
| Surface quality | > 95% defects free | > 95% defects free | ISO 10545-2 |
| Small Color Difference (For Plain Color) | ΔE < 1.00 | ΔE < 0.30 | ISO 10545-16 |
| Glossiness (Polished) | as per mfg. | Gloss Value > 90 | Glossmeter 60° |
| Glossiness (Matt) | as per mfg. | 3° < GLOSS < 7° | Glossmeter 60° |
| Glossiness (satin/Posh) | as per mfg. | 7° < GLOSS < 18° | Glossmeter 60° |
| Structural Properties | | | |
| Water absorption | 0.50% ≤ Ev ≤ 3.00% | 0.060% ≤ Ev ≤ 3.00% | ISO 10545-3 |
| Bulk density | as per mfg. | > 2.28 gm/cc | ISO 10545-3 |
| Massive Mechanical Properties | | | |
| Modulus of rupture | Min. 30.0 N/mm ² | Min. 35.0 N/mm ² | ISO 10545-4 |
| Breaking strength thickness ≥7.5 | Min. 700.0 N | Min. 1000.0 N | ISO 10545-4 |
| Breaking strength thickness ≥7.5 | Min. 1100.0 N | Min. 1300.0 N | ISO 10545-4 |
| Breaking strength thickness ≥7.5(For ≥15mm) | Min. 1100.0 N | Min. 1800.0 N | ISO 10545-4 |
| Surface Mechanical Properties | | | |
| MOH'S hardness | as per mfg. | Polished Min 4* / Satin, Posh & Matt Min 6 | BS EN 15771 |
| Surface abrasion resistance | as per mfg. | Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4 | ISO 10545-7 |
| Deep abrasion resistance | Max. 175mm ³ | Max. 132mm ³ | ISO 10545-6 |
| Thermal Hydrometric Properties | | | |
| Moisture expansion | Max. 0.06%(0.6mm/m) | 0.02mm/m | ISO 10545-10 |
| Thermal expansion (COE) at 100°C | as per mfg. | Max. 6.0 x 10 ⁻⁶ | ISO 10545-8 |
| Thermal shock resistance | Min. 10 Cycle | Min. 10 Cycle | ISO 10545-9 |
| Impact resistance(COR) | Min. 0.55 | Min. 0.55 | ISO 10545-5 |
| Frost resistance | as per mfg. | Frost Proof | ISO 10545-12 |
| Chemical Properties | | | |
| Resistance to staining glazed | Min. Class 3 | Min. Class 4 | ISO 10545-14 |
| Resistance to household chemicals & swimming pool salts glazed | Min. Class GB | Min. Class GA | ISO 10545-13 |
| Resistance to low concentrate acid and alkalis glazed | as per mfg. | Min. Class GLA** | ISO 10545-13 |
| Resistance to high concentrate acid and alkalis unglazed | as per mfg. | Min. Class GHB** | ISO 10545-13 |
| Safety Properties | | | |
| Skid resistance (COF-WET PENDULAM)## | as per mfg. | Glossy PO(-12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34) | BS 7976-2 |
| Slip resistance - (Satin / Matt (DCOF) (R value)## | as per mfg. | R9 to R13** | DIN 51130 |
| Fire resistance | as per mfg. | Fire Proof | N.A. |



PACKING DETAILS

| PRODUCT | SIZE | THICKNESS | TILES/BOX | COVERAGE AREA/BOX | WEIGHT |
|----------|---------------|-----------|-----------|-------------------|-------------------|
| GVT-PGVT | 600x 600mm | 8.5mm | 4 pcs. | 1.44 sq. mtr. | 25 KG (APPROX) |

Sr. No. 513/P2, Nr. Khokhara
Hanuman Temple,
Rangpar(Bela), Gujarat, 363642

✉ info@selfieporcelaintiles.com
www.selfieporcelaintiles.com